



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/575,241	01/09/2007	Heinz Riess	306.46102X00	6951

7590 03/17/2010  
ANTONELLI, TERRY, STOUT & KRAUS, LLP  
1300 NORTH SEVENTEENTH STREET  
SUITE 1800  
ARLINGTON, VA 22209-3873

EXAMINER
----------

TILLMAN, JR, REGINALD S

ART UNIT	PAPER NUMBER
----------	--------------

3641

MAIL DATE	DELIVERY MODE
-----------	---------------

03/17/2010

PAPER

## NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 4-10-06 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures \_\_\_\_\_ are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 4 are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

### Return Corrected Drawings/Specification to:

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

571-272-4200 or 1-888-786-0101  
Application Assistance Unit  
Office of Data Management